Journal of Pharmaceutics and Drug Research

JPDR, 6(1): 661-667 www.scitcentral.com



Review Article: Open Access

The First Generation and Second Generation Antipsychotic Drugs and their Pharmacology in Treatment of Schizophrenia

Afroj A Shaikh*, Jaydeep B Pawar and Sachin J Anbhule

*Department of Pharmacology, HSBPVT, GOI, Faculty of Pharmacy, Kashti, Shrigonda 413701, India.

Received October 13, 2022; Revised October 22, 2022; Accepted November 11, 2022

ABSTRACT

In this review report, an attempt made to present an overview of schizophrenia & those drugs which are used in treatment of psychiatric disorders as well as some treatments for psychosis. In 1908, the schizophrenia word was coined by Eugen Bleuler (Swiss psychiatrist). The use antipsychotics as medication began from 1933 in France. Laborit and Huguenard administrated the aliphatic Phenothiazine, Chlorpromazine during surgery due to its potential anesthetic effect, in 1951. Thereafter, Hamon and Delay extended the use of this treatment in psychiatric patients. Due to abnormal brain structure & functioning occurs schizophrenia as well as psychotic disorders. Schizophrenia is a condition in people unable to differentiate between real & imaginary world. In this article we all know about Schizophrenia & Antipsychotics drugs. In that include symptoms & their types, cause, risk factor, antipsychotics classification & their pharmacology etc. In that there are three types of symptoms namely positive, Negative, Cognitive. Exact causes of schizophrenia are unknown. In the treatment of Schizophrenia or psychotics disorders the physicians commonly used antipsychotic medicines or drugs to treat their symptoms. Antipsychotic drugs further divided into two major classes namely Typical & Atypical antipsychotics. Chlorpromazine is the first medicine or drug which is used to treat symptoms of schizophrenia and schizoaffective disorders. Clozapine is most effective or potent antipsychotics drug. Which is belongs to the atypical antipsychotics which are reducing the risk of schizoaffective patients. Physicians recommend a combination of antipsychotics along with psychotherapy. In this article we have covered Brahmyadiyoga is an Ayurvedic remedies.

Keywords: Psychosis, Mental disorder, Schizophrenia, Antipsychotics, Brahmyadiyoga, Ayurvedic treatments

BACKGROUND

Schizophrenia is complex, long-term mental illness illustrated by many symptoms such as delusion, hallucination, speech disorders etc. [1]. "The word "Schizophrenia" comes from Greek word "Schizo" means "Split" & "Phrene" means "Mind". In 1908, the term Schizophrenia was introduced by the Sweden psychiatrist Eugen Bleuler [2]. According to WHO [3], almost 20 million peoples worldwide suffer from a disease called schizophrenia & WHO has declared schizophrenia to be one of the ten leading causes of developed countries in the world [4]. Antipsychotic means those drugs or medicines used to treat psychiatric disorders like schizophrenia, bipolar disorder, schizoaffective conditions etc. In 1950, some new classes of medications come under the psychiatric practice such as antipsychotics. French pharmaceutical company Rhone-Poulenc synthesized chlorpromazine in 1950s, but not used in treatment of schizophrenia & In the US in 1960, the first clinical trial of chlorpromazine conducted with other antipsychotics. The two psychiatrics namely Jean Delay & Pierre Deniker used chlorpromazine on the patients who suffering from psychiatric disorder such as mania & schizophrenia [5].

Schizophrenia is psychiatric disorders that are affect the thinking, behaves, emotions etc. of the patients. The symptoms of schizophrenia are commonly observed at the age of 16-30. The symptoms of schizophrenia are divided into three types: Positive, Negative & Cognitive symptoms [6]. Antipsychotics medications are principally used in treatment of schizophrenia & other psychotic disorders such as mental sickness, bipolar disorder, etc. Antipsychotic medications are classified into two major classes Typical &

Corresponding author: Afroj A Shaikh, Department of Pharmacology, HSBPVT, GOI, Faculty of Pharmacy, Kashti, Shrigonda 413701, India, Tel: +91 9551023786; Email: afrojs952@gmail.com

Citation: Shaikh AA, Pawar JB & Anbhule SJ. (2023) The First Generation and Second Generation Antipsychotic Drugs and their Pharmacology in Treatment of Schizophrenia. J Pharm Drug Res, 6(1): 661-667.

Copyright: ©2023 Shaikh AA, Pawar JB & Anbhule SJ. This is an openaccess article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited. Atypical it's also called first- & second-generation drugs [7]. Antipsychotic drugs are taking around 7-14 days to reach their desire therapeutic effect. Antipsychotics unable to treat negative symptoms & able to treat / cure positive symptoms of schizophrenia. Atypical antipsychotics shows/ possess negative symptoms such as incapable to feel pleasure (Anhedonia), Alogia, Flattening, Apathy, Avolition etc. [2].

SYMPTOMS OF SCHIZOPHRENIA

The psychological symptoms of schizophrenia are divided into three main classes: Positive, Negative & Cognitive Symptoms. While Positive & Cognitive Symptoms are almost omnipresent in schizophrenia, Positive symptoms have unrelated with cognitive symptoms. However, this relationship appeared to be accompanied by negative symptoms [8].

1. Positive Symptoms:

Positive symptoms are related with the hyperdopaminergic transmission occurring in the mesolimbic region of brain. Dopamine Receptor Antagonist drugs such as Chlorpromazine & Haloperidol are used to reduce the positive symptoms of schizophrenia [9]. It is associated with psychological behavior that is not widespread in an enthusiastic person. Suffering people may lose a touch of truth. Following some symptoms include such as delusions, hallucination, dysfunctional way of intellectual, agitated body movement, thought disorder & lack of speaking etc. [6,9].

2. Negative Symptoms:

A negative symptom indicates the abnormal normal mental function involving thoughts, behaviors & perceptions [10]. From these interruptions they can vary in general feelings and behaviors. The flat effect that the expression of emotions is reduced by facial expressions or tone of voice. Difficultly in initiating and sustaining activity and mutism (Speak Disorder) [9]. In Negative Symptoms you might notice: Anhedonia, Alogia, Flattening, Apathy, Avolition etc. [10].

3. Cognitive Symptoms:

The cognitive symptoms of schizophrenia are belongs to thinking of persons. Although cognitive symptoms aren't used to detect schizophrenia [11]. These symptoms can vary from person to person [12]. Victims may experience normal to serious changes in their intelligence or in any other aspect of thought. Symptoms may include difficulty concentrating; memory problem, lack of execution facilities, i.e. difficulty in understanding information & making decisions [5]. In it seen some symptoms such as unable to concentrate, memory problems, reduced executive function, lack of insight etc. [11].

Causes

An exact cause of Schizophrenia is unknown. Researchers are continuously trying to find about the etiology of the disease [13] but abnormal brain structure, enter-changes in neurotransmitter functioning, genetic & environmental factors cause schizophrenia [11].

Risk Factor (Figure 1)




Figure 1. Risk Factors [14].

ANTIPSYCHOTIC

Antipsychotic is a drug which are used to treat symptoms of psychosis. They are also used to treat Schizophrenia, Depression, Bipolar disorder, Schizo affective disorders & Anxiety. Antipsychotics drugs shows adverse effect [15].

Classification of Antipsychotic Drugs

Antipsychotic drugs are classified into two subtypes such as Typical (First generation) & Atypical (Second generation). Typical medications have been used since the 1950s. It's oldest or first type of antipsychotic drugs or medicines.

Atypical medications have been used since the 1990s. It's new or second type of antipsychotic class of drugs [16]. The use of antipsychotic drugs has the benefit of reducing the symptoms of psychosis and the risk of numerous side effects, including a difficult trade-off. Antipsychotic drugs are not therapeutic & do not eliminates long term thought disorders but they often negate the power of illusion, delusions & allow a person with schizophrenia to act in a caring situation (Figure 2) [13].




Figure 2. Classification of antipsychotic drugs.

Antipsychotic medicine is a principle psychological strategy for the treatment of schizophrenia. These substances limit the effectiveness of treatment in individual patients & are associated with side effects. Taking antipsychotics is considered. While these drugs have no effect on negative symptoms. All of these drugs stop the action of postsynaptic dopamine D₂ receptors. However, modern medicine has a wide spectrum of targeted Serotonin, nor epinephrine, Acetylcholine, Histamine & Glutamate. Clozapine, considered an atypical antipsychotic, is associated with a variety of neuroreceptors (Dopamine, 5-HT serotonin &

noradrenergic receptor) & and some acts as a multineuroreceptor antagonist. Clozapine is the most potent or highly effective antipsychotic drug & it's does also reduce the risk of suicide of schizoaffective patients who tolerate to other antipsychotic drugs [2].

Mechanism of Action

There are many drugs used to treat schizophrenia & they have different mechanism of action to create desired therapeutic effects. Mostly antipsychotics drugs help to treat Schizophrenia [17].

Table 1. First Generation/ Typical Antipsychotics.

Drugs	Mechanism	Adverse Effect	Route	Half-Life of Excretion	Brand Name	Metabolism	Reference
Chlorpromazine	Combined form of Chlorpromazine Antagonized Histamine (H ₁), Dopamine (D ₂) & Muscarinic (M ₁) receptors.	Weight gain, sedation, acute movement disorder, parkinsonism, hypotension, dizziness, Akathisia, tardive dyskinesia etc.	Oral, rectal, IM, IV	30 h	Largactil	Hepatic	
Loxapine	Antagonism of post synaptic Dopamine (D ₂) & serotonin (5-HT2) receptors.	Taste disorder (Dysgeusia), tardive dyskinesia, malignant syndrome, Depressogenic effect, Akathisia, etc.	Oral, IM, Inhalation	4-12 h	Xylac, Adasuve	Hepatic	
Prochlorperazine	Blocking D ₂ receptor in brain, Histaminic, cholinergic & noradrenergic receptors. It's Independent on dopamine antagonism.	Dystonic reactions, neuroleptic malignant syndrome, Akathisia, Anorexia, loss of vision, sexual dysfunction, constipation, cardiac abnormalities, hypotension, dry mucosa, urinary retention, tardive dyskinesia, neuroleptoic malignant syndrome etc.	Oral, parenteral, IM & Rectal	4-8 h	Compazine, Stemetil	Liver	
Thiothixene	Antagonist of Dopamine (D ₁ ,D ₂ ,D ₃ ,D ₄), histamine, serotonin (5-HT1, 5- HT2), Cholinergic (M ₁ ,M ₂) & Alpha- Adrenergic receptor	Muscle Stiffness, loss of vision, Hand tremor, Dry Mouth, Coma, weakness, salivation, hypotension, tremors, neuroleptoic malignant syndrome etc.	Oral	10-20 h	Navane	Hepatic	
Trifluoperazine	Block dopamine D ₂ & D ₁ receptor in mesocortical & mesolimbic pathway.	Akathisia, dystonia, parkinsonism, somnolence, xerostomia, neuroleptic malignant syndrome, mydriasis, glaucoma etc.	Oral, IM	10-20 h	Stelazine, Eskazinyl, Eskazine, Jatroneural	Liver	
Thioridazine	Block postsynaptic mesolimbic dopaminergic receptors in the brain.	Shortness of breathing, tremor, swallowing trouble, hypotension, neuroleptic malignant syndrome, dizziness, restlessness, confusion, fever, sore throat, drowsiness, dry mouth & skin, nausea, vomiting, constipation, diarrhea etc.	Oral	21-24 h	Mellaril	Hepatic	[19-27]
Fluphenazine	Antagonism of postsynaptic D ₂ receptors in mesolimbic, nigrostriatal & tuberoinfundibular neural pathway.	Othrostatsis, Opisthotonos, dizziness, weight gain, tardive dyskinesia, Akathisia, Neuroleptic malignant syndrome, parkinsonian, hypotension, sedation, dry mouth & eyes, constipation, restlessness, Prolongation of QT, Sexual dysfunction, Galactorrhea, etc.	Oral, IM	14-16 h	Prolixin, Moditen	Liver	
Haloperidol	Block the dopaminergic receptors as well as noradrenergic, cholinergic & histaminergic blocking action.	Breathing problems, headache, insomnia, anxious, irregular menstrual cycle, fever, dry skin & mouth, Acute Dystonia, Parkinsonism, prolongation in QT, Hyperthermia, tardive dyskinesia etc.	Oral, IM	14.5-36.7 h	Haldol	Liver	
Pimozide	Antagonism dopamine (D2) receptors.	Alkathisia, hyperhidrosis, nocturia, somnolence, speech disorder, sedation, dizziness, constipation etc.	Oral	55 h	Orap	Hepatic	

1st Generation

The first generation of antipsychotics follows inhibiting mechanism. They are highly effective when they block 72% of the D_2 dopamine receptors in the brain. They also show antagonism action at the Noradrenergic, Cholinergic &

Histaminergic receptors. It's mainly used to treat positive symptoms such as hallucinations & delusions [7,18]. In Typical antipsychotics show some adverse effect such extrapyramidal side effects & anticholinergic adverse effect such as dry mouth, constipation etc. sedation, abnormal heart rates, sudden death, seizure threshold, hypotension,

discoloration of skin, hydration, confusion, fever, acute renal failure etc. as well it's have some contraindications like CNS depressant, cardiac abnormalities, history of allergy & seizure disorders, prostatic hypertrophy, dyskinesia, etc. [7].

 Table 2. Second Generation/ Atypical Antispychotic.

Drugs	Mechanism	Adverse Effect	Route	Half Life of Excretion	Brand Name	Metabolism	References
Aripiprazole	Partial antagonist at D ₂ & 5HT1A receptor & Antagonist at 5-HT2A receptor.	Akathisia, parkinsonian, acute Dystonic reactions, tardive dyskinesia, nausea, Weight gain, jaundice, etc.	Oral, IM	-	Ability	Liver	
Paliperidone	Act Antagonist at dopamine, 5-HT2A and adrenergic, histaminic receptors.	Sedation, metabolic syndrome, weight gain, insomnia, somnolence, Akathisia, etc.	Oral, IM	42 - 77 days	Xeolion, Invega	Liver	
Risperidone	Blocked D2 dopamine & (5-HT2A) serotonin receptors.	Sedation, metabolic syndrome, dystonia, Akathisia, parkinsonian, tremor, Gynecomastia, galactorrhea, hypertension, diabetes, tachypnea, tachycardia, dementia, etc.	Oral	20 h	Risperdal	Liver	
Olanzapine	May act by combination of dopamine & serotonin (5-HT2A) Antagonism.	Weight gain, decrease insulin sensitivity, metabolic dysfunction, Akathisia, neutropenia, thrombocytopenia, tardive dyskinesia, neuroleptic malignant syndrome, extra pyramidal symptoms, glucosehomosasis, etc.	Oral, IM	21 - 54 h	Zyprexa	Liver	
Clozapine	Block dopamine & serotonin receptors.	Hyper salivation, myocarditis, agranulocytosis, constipation, dystonisa, neuroleptic malignant syndrome, seizures, etc.	Oral	12 h	Clozaril	Hepatic	
Asenapine	Mechanism of action is unknown. It has been suggested that the combination of antagonist activity at D ₂ & 5-HT2A receptors.	Weight gain, Akathisia, parkinsonism, hypotension, dizziness, hypersensitivity, anaphylaxis, angioedema, wheezing, rashes, somnolence, oral hypothesis, cardiovascular diseases	Sublingual	24 h	Saphris	Hepatic	
Quetiapine	Blocked Dopamine, histamine, Adrenergic, & serotonin neurotransmitters.	Sleepiness, constipation, weight gain, hypotension, seizures, prolonged erection, diabetes, tardive dyskinesia, neuroleptic malignant syndrome, etc.	Oral	6 h	Seroquel	Liver	[4,6,28-37]
Cariprazine	Mechanism of action is unknown, but the action is mediated by combination of cariprazine of partial agonist at Dopamine (D ₂) & Serotonin (5-HT1A) as well as act as antagonist at serotonin (5-HT2A) receptors.	Extra-pyramidal symptoms, weight gain, prolactin elevation, QTc prolongation, sedation, metabolic syndrome, cardiovascular disease, Anxiety, Insomnia, Akathisia, headache, Dyspepsia, vomiting, Somnolence, restlessness, etc.	Oral	1 week	Vraylar	Liver	
Iloperidone	Dopamine D2 & 5-HT2A receptor antagonist & act as Neuroleptic Agent.	Weight gain, Extrapyramidal symptoms, QTc prolongation, Orthostatic hypotension, prolactin elevation, Fatigue, nasal congestion, somnolence, tachycardia, dizziness, Tardive Dyskinesia, etc.	Oral	13 - 18 h	Fanapt	Liver	
Lurasidone	Its show antagonistic activity by combination of dopamine (D ₂) & serotonin (5-HT2A).	Akathisia, Somnolence, Parkinsonism, Dystonia, Nausea, Agitation, Anxiety, weight gain, etc.	Oral	18 h	Latuda	Liver	
Ziprasidone	Antagonized dopamine (D ₂) & serotonin in mesolimbic pathway & serotonin (5-HT2A) receptors in mesocortical pathway to reduce positive & negative symptoms respectively.	Heart Palpitation, weight gain, depression, headache, anxiety, restlessness, Insomnia, drowsiness, Asthenia, Abdomen pain, hypertension, Rectal hemorrhage, dizziness, nausea, constipation, tremor, Rashes, Muscles pain, Stuffy nose, etc.	Oral, IM	7 - 10 h	Geodon	Liver	

2nd Generation

The second generation of antipsychotics follows blocking mechanism. Its block the D2 dopamine receptors as well as serotonin receptors antagonist. 5-HT2A sub-type of the serotonin receptor is most commonly involved, thus may be associated with reduced risk of these adverse effect. In 2016, 12 Atypical Antipsychotics are approved by Food & Drug Administration (FDA) [7,18]. In Atypical antipsychotics show some side effects such as weight gain, metabolic syndrome development, dizziness, anxiety, sedation, thermosensitive, increased appetite, somnolence, hypotension, agitation, headache, restlessness, hyper salivation, etc. and it have some contraindications like parkinsonism, narcoleptic, tardive dyskinesia, during pregnancy, glaucoma, liver disease, severe neutropenia, deficiency hexosaminidase etc. [7].

TREATMENT

Antipsychotic Drugs

Physician recommended a combination of psychotic drugs along with the psychotherapy (Tables 1 & 2).

Ayurvedic Treatment

Brahmyadiyoga is an herbal preparation which is used in the treatment of Schizophrenia. Brahmyadiyoga developed by Central Council for Ayurveda & Siddha, under Ministry of Health & Family Welfare of India. It includes Brahmi, Jatamansi, Sarpagandha, Vacha, Kusta, Tagar etc. For the treatment of schizophrenia, herbal combination of waterbased extract of bramhi & Jatamansi are as effective as modern antipsychotics drugs (Table 3) [6].

Table 3. Herbal Plant and Their Major Phytoconstituents.

S. No	Herbal Plant	Major Phytoconstituents			
1	Brahmi	Asiaticoside & Bacoside			
2	Jatamansi	Virolin & Jatamnsone			
3	Sarpagandha	Reserpine & Ajmaline			
4	Vacha	Asarone			
5	Kusta	Costunolide & Palmitic acid			
6	Tagar	Betulinic acid			

CONCLUSION

We concluded from this review article; schizophrenia is a complex psychiatric disorder that is belong to the disordering of brain improvement caused by environmental as well as some genetic factors. Most schizophrenia as well as psychotic disorders occurs due to abnormal brain structure & functioning. In this article we discuss about pharmacology of antipsychotics & Ayurvedic Treatment of psychosis. In that we observe delusion, hallucination, speech

& behavior disorder like symptoms. In this we know about pharmacology of antipsychotics drugs but their exact causes of schizophrenia are unknown, I hope in future our researches are find exact causes of schizophrenia.

REFERENCES

- 1. Patel KR, Cherian J, Gohil K, Atkinson D (2014) Schizophrenia: Overview and Treatment Options. P T 39(9): 638-645.
- Farah FH (2018) Schizohrenia: An Overview. Asian J Pharm 12(2): 77-87.
- 3. WHO (2019) Schizophrenia. Available online at: https://www.who.int/news-room/fact-sheets/detail/schizophrenia
- Bouchette D, Fariba AK, Marwaha R (2021)
 Ziprasidone. Treasure Island (FL): StatPearls
 Publishing. Available online at:
 https://www.ncbi.nlm.nih.gov/books/NBK448157/#!po =68.5185
- Peter H, Kirk R, Green R (2016) Chlopromazine, the first antipsychotic medication: history, controversy and legacy. Br Assoc Psychopharmacol. Available online at: https://www.bap.org.uk/articles/chlorpromazine-thefirst-antipsychotic/
- Ashish C, Mittal A, Arora PK (2013) Atypical Antipsychotics from Scratch to the Present. Int J Pharm Sci Res 4(1): 184-204.
- Chokhawala K, Stevens L (2021) Antipsychotic Medications. StarPearls Publishing, Treasure Island (FL). Available online at: https://www.ncbi.nlm.nih.gov/books/NBK51950/#_artic le-17709_s3_
- 8. Khan ZU, Martin-Montanze E, Muly EC (2013) Schizophrenia: Causes and Treatments. Curr Pharm Design 19(36): 6451-6461.
- 9. Nerkar AG, Bhise SB (2020) Polypharmacological Drugs in Treatment of Schizophrenia. Curr Trend Pharm Pharm Chem 2(3): 116-124.
- 10. D'Arrigo T (2020) What Are the Symptoms of Schizophrenia? Available online at: https://www.webmd.com/schizophrenia/schizophrenia-symptoms
- 11. Clarke J (2022) How Schizophrenia is diagnosed by Observing Symptoms. Available online at: https://www.verywellmind.com/what-are-the-symptoms-of-schizophrenia-2953120
- 12. Peter C (2019) Psychological debriefing are we doing more harm than good? Available online at: https://www.blueline.ca/psychological-debriefing-are-we-doing-more-harm-than-good-6321/

- Harvey RA, Clark MA, Finkel R, Rey JAPD, Whalen K
 (2011) Lippincott's Illustrated Reviews: Pharmacology.
 5th ed. New York: WoltersKluwer.
- 14. National Institute of Mental Health. Schizophrenia (2020) Schizophrenia. Available online at: https://www.nimh.nih.gov/health/topics/schizophrenia
- 15. Drugs.com (2021) Antipsychotics. Available online at: https://www.drugs.com/drugs-class/antipsychotics.html
- 16. Rethink Mental Illness (2022) Antipsychotics What you need to know. Available online at: https://www.rethink.org/advice-and-information/living-with-mental-illness/medications/antipsychotics/
- Kaur H, Kaur R, Rani V, Sharma K, Maurya PK (2020) Antipsychotic Drugs. Available online at: https://www.taylorfrancis.com/chapters/edit/10.1201/97 80429242717-15/antipsychotic-drugs-harleen-kaur-ramneek-kaur-varsha-rani-kanishka-sharma-pawan-kumar-maurya
- 18. NeuRa (2021) First versus second generation. Available online at: https://www.library.neura.edu.au/schizophrenia/treatment/physical/pharmaceutical/second-generation-antipsychotics/first-versus-second-generation/
- 19. Cardoso D, Wakeham J, Shaw PA, Brittany D, Wildman L (2017) Chlorpromazine verses thiothixene for people with schizophrenia. Cochrane Database Syst Rev 2017(9): 1-17.
- Mann SK, Marwaha R (2021) Chlorpromazine. Treasure Island (FL): StatPearls Publishing. Available online at: https://www.ncbi.nlm.nih.gov/books/NBK553079/
- 21. Dina P, Nuss P, Vieta E (2015) Revisiting loxapine: A systematic review. Ann Gen Psychiatry 14(15): 1-8.
- Lennox D, Preuss CV (2021) Prochlorperazine. Treasure Island (FL): StatPearls Publishing. Available online at: https://www.ncbi.nlm.nih.gov/books/NBK537083#!po= 91.9355
- 23. Wikipedia (2022) Trifluoperazine. Available online at: https://en.m.wikipedia.org/wiki/Trifluoperazine
- 24. NIH (2021) Inxight Drugs. Available online at: https://drugs.ncats.io/drug/4WCI67NK8M
- 25. Siragusa S, Bistas KG, Saadabadi A (2021) Fluphenazine. Treasure Island (FL): StatPearls Publishing. Available online at: https://www.ncbi.nlm.nih.gov/books/NBK459194/

- Rahman S, Marwaha R (2022) Haloperidol. Tresaure Island (FL): StatPearls Publishing. Available online at: https://www.ncbi.nlm.nih.gov/books/NBK560892/#_N BK560892_pubdet_
- WebMD (2018) Pimozide Oral: Uses, Side Effects, Interactions, Pictures, Warnings & Dosing. Available online at: https://www.webmd.com/drugs/2/drug-11062/pimozide-oral/details
- Gettu N, Saadabadi A (2021) Aripiprazole. Ed. Abdolreza Saadabadi. Treasure Island (FL): StatPearls Publishing. Available online at: https://www.ncbi.nlm.nih.gov/books/NBK547739
- Zhang LL, Li JT, Zhao YJ, Su YA, Si T (2016) Critical evaluation of paliperidone in the treatment of schizophrenia in Chinese patients: A systematic literature review. Neuropsychiatr Dis Treat 12: 113-131.
- 30. McNeil SE, Gibbons JR, Cogburn M (2021) Risperidone. Treasure Island (FL): StatPearls Publishing. Available online at: https://www.ncbi.nlm.nih.gov/books/NBK459313/#_N BK459313_pubdet_
- 31. Krishna T, Saadabadi A (2021) Olanzapine. Treasure Island (FL): StatPearls Publishing. Available online at: https://www.ncbi.nlm.nih.gov/books/NBK532903/
- 32. Physiopedia (2022) Clozapine in the Treatment of Psychosis. Ed. Jordan Rodrigues and Mieka Bryan. n.d. Available online at: https://www.physiopedia.com/Clozapine_in_the_Treatment_of_Psychosis
- 33. Steven G, Potkin J (2011) Asenapine: A Clinical Overview. J Clin Psychiatry 72: 14-18.
- 34. Maan JS, Ershadi M, Khan I, Saadabadi A (2021) Quetiapine. Treasure Island (FL): StatPearls Publication. Available online at: https://www.ncbi.nlm.nih.gov/books/NBK459145/#_N BK459145_pubdet_
- 35. Laszlovszky I, Barabassy A, Nemeth G (2021) Cariprazine, a Broad-Spectrum Antipsychotic for the Treatment of Schizophrenia: Pharmacology, Efficacy, and Safety. Adv Ther 38(7): 3652-3673.
- 36. Citrome L (2011) Iloperidone: A Clinical Overview. J Clin Psychiatry 72: 19-23.
- 37. Kane JM (2011) Lurasidone: A Clinical Overview. J Clin Psychiatry 72: 24-28.