

REFERENCES

1. Learmonth ID, Young C, Rorabeck C (2007) The operation of the century: Total hip replacement. *Lancet* 370.
2. Hofmann AA, Feign ME, Klauser W, VanGorp CC, Camargo MP (2000) Cement less primary total hip arthroplasty with tapered, proximally porous-coated titanium prosthesis. *J Arthroplasty* 15: 833-839.
3. White SH (1988) The fate of cemented total hip arthroplasty in young patients. *Clin Orthop* 231: 29-34.
4. Dorr LD, Takei GK, Conaty JP (1983) Total hip arthroplasties in patients less than forty-five years old. *J Bone Joint Surg Am* 65: 474-479.
5. Keisu KS, Mathiesen EB, Lindgren JU (2001) The uncemented fully textured Lord hip prosthesis: A 10-to 15-year follow up study. *Clin Orthop* 382: 133-142.
6. Brooker AF, Bowerman JW, Robinson RA, Riley LH Jr (1973) Ectopic ossification following total hip replacement. Incidence and a method of classification. *J Bone Joint Surg Am* 55: 1629-1632.
7. Hwang S (2014) Experience of Complications of Hip Arthroplasty. *Hip Pelvis* 26: 207-213.
8. Ottink K, Barnaart L, Westerbeek R, vanKampen K, Bulstra S, et al. (2015) Survival, clinical and radiological outcome of the Zweymuller SL/Bicon-Plus total hip arthroplasty: A 15-year follow-up study. *Hip Int* 25: 204-208.
9. Grant P, Nordsletten L (2004) Total hip arthroplasty with the lord prosthesis. *J Bone Joint Surg Am* 86: 2636-2641.
10. Davies MS, Hua J, Parker BC, Walker PS, Ward DA (1999) Migration of the uncemented CLS femoral component. *Orthopedics* 22: 225-228.
11. Pardos AC, Rey EG, Cimbrello EG (2017) Total Hip Arthroplasty with Use of the Cement less Zweymüller allo classic System. *J Bone Joint Surg* 99: 1927-1931.