

Depression and Anxiety among Pregnant Mothers in the Initial Stage of the Coronavirus Disease (COVID-19) Pandemic in the Southwest of Iran

NajmehMaharlouei¹, PedramKeshavarz^{2*}, NiloufarSalemi¹ and Kamran B Lankarani¹

¹Health Policy Research Center, Institute of Health, Shiraz University of Medical Sciences, Shiraz, Iran

²Post-doc Research Fellow, Dep. of Diagnostic & Interventional Radiology, New Hospitals LTD, The University of Georgia, Georgia.

Published December 15, 2021

ABSTRACT

Background: Women are at a higher risk for depression progression, especially during pregnancy. The current study purposed to investigate predictors of depression, anxiety, and stress among pregnant mothers in the initial stage of the COVID-19 infection in the southwest of Iran.

Methods: This cross-sectional study was conducted during March and April, 2020, in Shiraz, Iran. Pregnant mothers registered in maternity clinics affiliated with Shiraz University of Medical Sciences were included. An online self-administered checklist was used. It included socio-demographic, obstetric and medical histories, and the short form of the Depression Anxiety Stress Scales (DASS-21) to evaluate depression, anxiety, and stress. A p-value < 0.05 was considered significant.

Results: In total, 540 pregnant mothers answered the questionnaire. 83.5% had no comorbidity. Abnormal depression scores were significantly higher in those who had no insurance (OR= 2.5) and in those with poor self-rated health (SRH) (OR= 27.8). Pregnant mothers with lower SRH and two or more comorbidities had a higher chance of having an abnormal level of anxiety subscale (6.9, 3.7 times, retrospectively).

Conclusion: The results revealed that an expecting mothers' depression was associated with SRH and medical insurance status. Moreover, the number of comorbidities and poor SRH significantly increased the chance of reporting higher anxiety levels in pregnant mothers during the COVID-19 pandemic.

Keywords: COVID-19, Pregnancy, Depression, Anxiety, Mental disorders, DASS-21

Corresponding author: Pedram Keshavarz, Post-doc Research Fellow, Department of Diagnostic & Interventional Radiology, New Hospitals LTD, The University of Georgia, Georgia, E-mail: keshavarz.p2390@gmail.com

Citation: Maharlouei N, Keshavarz P, Salemi N &Lankarani KB. (2021) Depression and Anxiety among Pregnant Mothers in the Initial Stage of the Coronavirus Disease (COVID-19) Pandemic in the Southwest of Iran. J Infect Dis Res, 4(S3): 07.

Copyright: ©2021Maharlouei N, Keshavarz P, Salemi N &Lankarani KB.This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.