







- task oriented outcome measure of hand function. *J Hand Surg Br* 30: 207-216.
4. Blackburn M, van Vliet P, Mockett SP (2002) Reliability of measurements obtained with modified ashworth scale in upper extremity of people with stroke. *Phys Ther* 82: 25-34.
  5. Bohannon RW, Smith MB (1987) Interrater reliability of a modified ashworth scale of muscle spasticity. *Physical therapy* 67: 206-207.
  6. Li F, WuY, Li X (2014) Test-retest reliability and interrater reliability of modified ashworth scale in patients with stroke. *Euro J Phys Rehabil Med* 50: 9-15.
  7. Penta M, Thonnard JL, Tesio L (1998) ABILHAND: A rash built measure of manual ability. *Arch Phys Med Rehabil* 79: 1038-1042.
  8. Durez P, Fraselle V, Houssiau F, Nielens H (2007) Validation of the ABILHAND questionnaire as the measure manual ability in patients with stroke. *Ann Rheum Dis* 66: 1098-1105.
  9. Penta M, Tesio L, Arnould C, Zancan A, Thonnard JL (2001) The ABILHAND questionnaire as a measure of manual ability in chronic stroke patients: Rasch-based validation and relationship to upper limb impairment. *Stroke* 32: 1627-1634.
  10. SudLow CL, Warlow CP (1997) Comparable studies of the incidence of stroke and its pathological types: Results from an international collaboration. *International Stroke Incidence Collaboration* 28: 491-499.
  11. Bonita R, Bengehole R (1994) The world wide problem and prevalence of stroke. *Cure Opin Neuro* 7: 5.
  12. Jorgensen HS, Plesner AM, Hubbe P, Larsen K (1992) Marked increase of stroke incidence in men between 1972 and 1919 in Frederiksberg, Denmark. *Stroke* 23: 1701-1704.