













11. Wall M (2010) Idiopathic intracranial hypertension. *Neurol Clin* 28: 593-617.
12. Giuseffi V, Wall M, Siegel PZ, Rojas PB (1991) Symptoms and disease associations in idiopathic intracranial hypertension (pseudotumor cerebri): A case-control study. *Neurology* 41: 239-244.
13. Friedman DI, Jacobson DM (2004) Idiopathic intracranial hypertension. *J Neuroophthalmol* 24: 138-145.
14. Soler D, Cox T, Bullock P, Calver DM, Robinson RO (1998) Diagnosis and management of benign intracranial hypertension. *Arch Dis Child* 78: 89-94.
15. Brodsky MC, Vaphiades M (1998) Magnetic resonance imaging in pseudotumor cerebri. *Ophthalmology* 105: 1686-1693.
16. Jinkins JR, Athale S, Xiong L, Yuh WTC, Rothman MI, et al. (1996) MR of optic papilla protrusion in patients with high intracranial pressure. *AJNR Am J Neuroradiol* 17: 665-668.
17. Gass A, Barker GJ, Riordan-Eva P, MacManus D, Sanders M, et al. (1996) MRI of the optic nerve in benign intracranial hypertension. *Neuroradiology* 38: 769-773.
18. Geoge AE (1989) Idiopathic intracranial hypertension: Pathogenesis and the role of MR imaging. *Radiology* 170: 21-22.
19. Degnan AJ, Levy LM (2011) Pseudotumor cerebri: Brief review of clinical syndrome and imaging findings. *AJNR AM J Neuroradiol* 32: 1986-1993.
20. Zagardo MT, Cali WS, Kelman SE, Rothman MI (1996) Reversible empty sella in idiopathic intracranial hypertension: An indicator of successful therapy? *Am J Neuroradiol* 17: 1953-1956.
21. Sinclair AJ, Burdon MA, Nightingale PG, Ball AK, Good P, et al. (2010) Low energy diet and intracranial pressure in women with idiopathic intracranial hypertension: Prospective cohort study. *BMJ* 341: c2701.
22. Wall M, McDermott MP, Kieburtz KD, Corbett JJ, Feldon SE, et al. (2014) Effect of acetazolamide on visual function in patients with idiopathic intracranial hypertension and mild visual loss: The idiopathic intracranial hypertension treatment trial. *JAMA* 311: 1641-1651.
23. Celebisoy N, Gökçay F, Sirin H, Akyürekli O (2007) Treatment of idiopathic intracranial hypertension: Topiramate vs. acetazolamide, an open-label study. *Acta Neurol Scand* 116: 322-327.
24. De Simone R, Marano E, Fiorillo C, Briganti F, Di Salle F, et al. (2005) Sudden re-opening of collapsed transverse sinuses and longstanding clinical remission after a single lumbar puncture in a case of idiopathic intracranial hypertension: Pathogenetic implications. *Neurol Sci* 25: 342-344.
25. Seiff SR, Shah L (1990) Model for the mechanism of optic nerve sheath fenestration. *Arch Ophthalmol* 108: 1326-1329.
26. Tsai JC, Petrovichm S, Sadun AA (1995) Histopathological and ultrastructural examination of optic nerve sheath decompression, *Br J Ophthalmol* 79: 182-185.
27. Davidson SI (1970) A surgical approach to plerocephalic disc edema. *Trans Ophthalmol Soc U K* 89: 669-690.
28. Alsuhaibani AH, Carter KD, Nerad JA, Lee AG (2011) Effect of optic nerve sheath fenestration on papilledema of the operated and the contralateral non-operated eyes in idiopathic intracranial hypertension. *Ophthalmology* 118: 412-414.
29. Bynke G, Zemack G, Bynke H, Romner B (2004) Ventriculoperitoneal shunting for idiopathic intracranial hypertension. *Neurology* 63: 1314-1316.
30. McGirt MJ, Woodworth G, Thomas G, Miller N, Williams M, et al. (2004) Cerebrospinal fluid shunt placement for pseudotumor cerebri-associated intractable headache: Predictors of treatment response and an analysis of long-term outcomes. *J Neurosurg* 101: 627-632.