

























3. United Nations Child's Funds (2019) Trends in estimates of maternal mortality ratio (maternal deaths per 100,000 live births) 2000-2017.
4. Ngonzi J, Tornes YF, Mukasa PK, Salongo W, Kabakyenga J, et al. (2016) Puerperal sepsis, the leading cause of maternal deaths at a Tertiary University Teaching Hospital in Uganda. *BMC Pregnancy Childbirth* 16: 207.
5. National Bureau of Statistics (2016) Tanzania Demographic and Health Survey and Malaria Indicator Survey (TDHS-MIS) pp: 172-173.
6. Bwana VM, Rumisha SF, Mremi IR, Lyimo EP, Mboera LEG (2019) Patterns and causes of hospital maternal mortality in Tanzania: A 10-year retrospective analysis. *PLoS One*. 14(4): e0214807.
7. Elie N (2014) Maternal and neonatal complications of macrosomia. *Trop Doct* 44(4): 201-204.
8. Anggondowati T, El-Mohandes AAE, Qomariyah SN, Kiely M, Ryon JJ, et al. (2017) Maternal characteristics and obstetrical complications impact neonatal outcomes in Indonesia: A prospective study. *BMC Pregnancy Childbirth* 17: 100.
9. Najati N, Gojazadeh M (2010) Maternal and neonatal complications in mothers aged under 18 years. *Patient Prefer Adherence* 4: 219-222.
10. American College of Obstetrics and Gynecology Committee on Practice Bulletins-Obstetrics (2003) ACOG Practice Bulletin Number 49, December 2003: Dystocia and augmentation of labor. *Obstet Gynecol* 102(1): 203-213.
11. Dutta D (2013) DC Dutta's Textbook of obstetrics, including perinatology and contraception. New Delhi: Jaypee Brothers Medical Publishers (P) pp: 401.
12. Papadias K, Christopoulos P, Deligeoroglou E, Vitoratos N, Makrakis E, et al. (2006) Maternal age and the duration of the second stage of labor. *Ann N Y Acad Sci* 1092: 414-417.
13. Gudayu TW, Araya BM (2019) Outcomes among mothers who gave birth in the health facility: Does birth preparedness and complication readiness have a role? *Obstet Gynecol Int* 2019: 20266.
14. Desta M, Mekonen Z, Alemu AA, Demelash M, Getaneh T, et al. (2022) Determinants of obstructed labour and its adverse outcomes among women who gave birth in Hawassa University referral Hospital: A case-control study. *PLoS One* 17(6): e0268938.
15. Harrison MS, Goldenberg RL, Ali S, Pasha O, Saleem S, et al. (2015) A prospective population-based study of maternal, fetal, and neonatal outcomes in the setting of prolonged labor, obstructed labor and failure to progress in low- and middle-income countries. *Reprod Health* 12(2): S9.
16. Greenberg MB, Cheng YW, Sullivan M, Norton ME, Hopkins LM, et al. (2007) Does length of labor vary by maternal age? *Am J Obstet Gynecol* 197(428): e1-428.e7.
17. Chen H, Cao L, Cao W, Wang H, Zhu C, et al. (2018) Factors affecting labor duration in Chinese pregnant women. *Medicine (Baltimore)* 97: 52.
18. Abebe FE, Gebeyehu AW, Kidane AN, Eyassu GA (2016) Factors leading to cesarean section delivery at Felegehiwot referral hospital, Northwest Ethiopia: A retrospective record review. *Reprod Health* 13: 16.
19. Govender I, Steyn C, Maphasha O, Abdulrazak AT (2019) A profile of caesarean sections performed at a district hospital in Tshwane, South Africa. *South African Fam Pract* 61(6): 246-251.
20. Ngongo CJ, Raassen T, Lombard L, van Roosmalen J, Weyers S, et al. (2020) Delivery mode for prolonged, obstructed labor resulting in obstetric fistula: A retrospective review of 4396 women in East and Central Africa. *BJOG An Int J Obstet Gynaecol* 127(6): 702-707.
21. Shah A, Fawole B, M'Imunya JM, Amokrane F, Nafiou I, et al. (2009) Cesarean delivery outcomes from the WHO global survey on maternal and perinatal health in Africa. *Int J Gynecol Obstet* 107(3): 191-197.
22. Tarimo CS, Mahande MJ, Obure J (2020) Prevalence and risk factors for caesarean delivery following labor induction at a tertiary hospital in North Tanzania: A retrospective cohort study (2000-2015). *BMC Pregnancy Childbirth* 20: 173.
23. Begum T, Rahman A, Nababan H, Emdadul Hoque DM, Khan AF, et al. (2017) Indications and determinants of caesarean section delivery: Evidence from a population-based study in Matlab, Bangladesh. *PLoS One* 12(11): e0188074.
24. Zewude B, Siraw G, Adem Y (2022) The Preferences of Modes of Child Delivery and Associated Factors Among Pregnant Women in Southern Ethiopia. *Pragmatic Obs Res* 13: 59-73.
25. United Nations. (2016) Transforming our world: the 2030 agenda for sustainable development.
26. Nilsen C, Østbye T, Daltveit AK, Mmbaga BT, Sandøy IF (2014) Trends in and socio-demographic factors associated with caesarean section at a Tanzanian referral hospital, 2000 to 2013. *Int J Equity Health* 13: 87.
27. Manyeh AK, Amu A, Akpakli DE, Williams J, Gyapong M (2018) Socioeconomic and demographic

- factors associated with caesarean section delivery in Southern Ghana: Evidence from INDEPTH Network member site. *BMC Pregnancy Childbirth* 18: 405.
28. Afaya A, Afaya RA, Azongo TB, Yakong VN, Konlan KD, et al. (2021) Maternal risk factors and neonatal outcomes associated with low birth weight in a secondary referral hospital in Ghana. *Heliyon* 7(5): e06962.
  29. Gwelo AS, Mbishi JV (2019) Determinants of adverse neonatal outcomes among postnatal women in Dar es Salaam-Tanzania. *Afr Health Sci* 19(2): 1924-1929.
  30. Tiruneh D, Assefa N, Mengiste B (2021) Perinatal mortality and its determinants in Sub Saharan African countries: Systematic review and meta-analysis. *Matern Heal Neonatol Perinatol* 7: 1.
  31. Betran AP, Ye J, Moller AB, Souza JP, Zhang J (2021) Trends and projections of caesarean section rates: Global and regional estimates. *BMJ Glob Health* 6: e005671.
  32. Dikete M, Coppieters Y, Trigaux P, Fils J, Englert Y (2019) Variation of caesarean section rates in Sub-Saharan Africa: A literature review. *J Gynecol Res Obstet* 5(2): 042-427.
  33. Arunda OM, Agardh A, Asamoah BO (2020) Cesarean delivery and associated socioeconomic factors and neonatal survival outcome in Kenya and Tanzania: Analysis of national survey data. *Glob Health Action* 13: 1748403.
  34. World Health Organization (2015) WHO statement on cesarean section rates.
  35. Molina G, Weiser TG, Lipsitz SR, Esquivel MM, Uribe-Leitz T, et al. (2015) Relationship between cesarean delivery rate and maternal and neonatal mortality. *J Am Med Assoc* 314(21): 2263-2270.
  36. UNFPA (2014) Child marriage fact sheet [Internet]. Dar Es Salaam: UNFPA Vol: 14; pp: 1-4.
  37. Sumankuuro J, Mahama MY, Crockett J, Wang S, Young J (2019) Narratives on why pregnant women delay seeking maternal health care during delivery and obstetric complications in rural Ghana. *BMC Pregnancy Childbirth* 19: 260.
  38. Charan J, Biswas T (2013) How to calculate sample size for different study designs in medical research? *Indian J Psychol Med* 35(2): 121-126.
  39. Moshi F V, Tungaraza M (2021) Factors associated with blood pressure check-up during pregnancy among women of reproductive age in Tanzania: An analysis of data from 2015-16 Tanzania Demographic and Health Survey and Malaria Indicators Survey. *BMC Pregnancy Childbirth* 21: 465.
  40. Annie K, Taylor H, Jacquelyn CLA (2014) Focused antenatal care in Tanzania [Internet]. *Women and Health Initiatives* pp: 1-13.
  41. United Republic of Tanzania (2013) National guidelines for comprehensive care services for prevention of mother-to-child transmission of HIV and keeping mothers alive. Dar Es Salaam: Ministry of Health and Social Welfare, Tanzania.
  42. United Republic of Tanzania (2018) Antenatal care guidelines. Dodoma-Tanzania: MoHCDGEC.
  43. World Health Organization (2014) Global nutrition targets 2025: Low birth weight policy brief. Geneva, Switzerland: WHO.
  44. Williams B, Mancia G, Spiering W, Rosei EA, Azizi M, et al. (2023) 2018 ESC/ESH Guidelines for the management of arterial hypertension. *Eur Heart J* 39(33): 3021-3104.
  45. Gudina AT, Abebe TW, Gebremariam FA, Guto GJ (2016) Magnitude of obstructed labor and associated risk factors among mothers come for delivery service in Adama hospital medical college, Oromia regional state, central Ethiopia. *J Gynecol Obstet* 4(3): 12-16.
  46. Kilpatrick S, Garrison E (2017) Normal labor and delivery. Available online at: <http://obgyn.azurewebsites.net/wp-content/uploads/2014/02/gabbe-normal-labor.pdf>
  47. Nuwabaine L, Amperiize M, Nakalega PA (2020) High proportion of caesarean section at a rural hospital in south western Uganda: A cross sectional study. Pp: 1-22.
  48. Sørbye IK, Vangen S, Oneko O, Sundby J, Bergsjø P (2011) Caesarean section among referred and self-referred birthing women: A cohort study from a tertiary hospital, northeastern Tanzania. *BMC Pregnancy Childbirth* 11: 55.